DF-500 A Professional Remediation Solution



Water, Fire, Mold, Algae, Meth, Trauma and Crime, Duct Cleaning

About DF-500

- Broad spectrum bactericide, virucide and fungicide.
- The most advanced restoration and remediation formulation available today.
- Environmentally safe (primary oxidizers decompose into oxygen and water).
- Safe to use in virtually any indoor remediation application (including hospitals, schools and nursing homes).
- No PPE (Personal Protective Equipment) required in spray bottle or pump up spray application.
- **EPA registered (Part A: 80346-1, Part B: 80346-2).**
- EPA toxicity rating = o (No significant risk to health).

Where to Use DF-500

- Mold Remediation:
 - Kills mold, mildew, and fungal spores.
- Water / Flood and Sewer Damage:
 - Disinfects, deodorizers and cleans hard, non-porous surfaces.
 - Controls mold and mildew on hard, non-porous surfaces.
- Fire / Smoke & Other Odors:
 - Eliminates odors from fires, cigarettes, cigars, skunks, and odors caused by microorganisms

- Trauma and Crime Scene:
 - Effective in trauma, crime-scene, tear gas and meth lab clean-up.
- Facilities / Building Maintenance:
 - Duct cleaning, odor mitigation and cleaning; in apartments, high-rises, commercial buildings, banks, health care facilities, nursing homes, schools and institutions, etc.
 - "Sick building syndrome"
 - Petroleum product spills

DF-500 is Proven Effective Against a Broad Range of Organisms

Virucidal: **Bactericidal:** Avian Influenza A, H9N2 (bird flu) Staphlococcs aureus (MRSA) and Influenza A / B epidermidis Aids Virus / HIV-1 Virus E-coli (ESBL and O157:H7) Herpes Simplex Type 1 & 2 Enterococcus faecalis and faecium (VRE) Hepatitis C &B E coli (O157:H7 and antibiotic **Human and Canine Coronovirus Norovirus** resistant) Salmonella enterica Fungicidal: **Streptococcus pyrogenes** Aspergillus niger **Streptococcus salivarius** Penicillium variabile Staphylococcus aureus Stachybotrys chartarum

The "Decon/omics" of Using DF-500 in Commercial & Large Loss

- Less Product More Coverage:
 - DF 500 is both the safest and strongest product on the market today making it possible to reduce spore counts and neutralize odors in large spaces effectively with a limited quantity of product when compared with other products.

- Faster Turnaround time:
 - © DF-500 can be used in place of certain remediation equipment and get clients back in their home / business faster while ensuring you "pass the mold test".
 - When fogged multiple times there is less scrubbing and cleaning and man-power required to remove mold and mildew.

We can assist you in pricing and protocols to fit your specific needs.

Why DF-500 Works so Well

- The Quaternary Amines in part A penetrate the cell wall.
- The Hydrogen Peroxide in part B then oxidizes critical substances inside the cell.
- DF-500 provides two steps in one application.
- DF-500 for smoke works in reverse, the Peroxide finishes the oxidation process started by the fire(this is what causes the odor) and then the detergent in part A is a very effective tool for washing away the soot residue.
- DF-500 is non-corrosive, non-flammable, non-toxic and biodegradable

DF-500 Tips & Tricks

- Odorless Once dried, does not leave an odor behind.
- A ULV sprayer is the most cost effective method for application.
- Will remain active for 8 hours when wet:
 - The mixed product can be used as a cleaning product after this time.
- Mix solution as necessary for square footage to be treated.
 - Mix equal parts A and B.
- Comes packaged in 4 gallons per box:
 - (2) gallons of Part A and (2) gallons of Part B

DF-500 Product Comparisons A Safe Product to Use in the Home

			Date Comment	100			
	DF-500	Disinfectant Solution	Botanical Disinfectant	Concentrated Quaternary	Disinfectant/ Fungicide	Disinfectant Spray Plus	
Class	Quat	Phenolic	Phenolic	Quat	Quat	Phenolic	Quat
Health Risk	0	1	0	2	3	1	3
1 Gallon Coverage	2,500	1,000 – 1,200	TBD	TBD	TBD	TBD	TBD
Packaging	2 Gallons Mix	1 Gallon RTU	1 Gallon RTU	Concentrate	Concentrate	1 Gallon RTU	Concentrate
Personal Protective Equipment Spray Application	None	None	None	Gloves	Chemical goggles, face shield, working clothing.	Gloves, respirator and eye goggles	Chem. Resistant gloves, goggles, protective clothing & ventilation
Scented	No	Yes	Yes	Yes	Yes	Yes	Yes
Other						Can not be used in California	

Ways to Apply DF-500

- Liquid spray. Pump-up sprayers or spray bottles can apply DF-500 as a liquid spray. Spraying DF-500 as a liquid is beneficial when treating "hot spots" for mold or pet stains before fogging.
- Foam. Foaming sprayers inject air into the product to produce a foam. As a foam, the DF-500 product will remain in contact with a surface longer than when applied as a liquid spray.
- Mist / Fog. ULV foggers (Ultra Low Volume), also known as wet foggers, can apply DF-500 as a spray mist. The mist dispenses the product as an aerosol into an airspace and allows control over the amount of product wetting a surface.

How to Apply DF-500 per Application

- Mold & Mildew: Fogging, spraying, removal of mold, wipe down horizontal surfaces.
- Water Loss: Spraying, mopping, fogging.
- Smoke Odors: Fogging, spraying, wipe down.
- Pet Odors: Fogging, spraying, wipe down, mopping.
- Trauma & Crime Scene: Fogging, spraying, mopping.
- Tear Gas: Fogging, light wipe down horizontal surfaces.
- Meth: Fogging, wipe down horizontal surfaces.
- Algae, all types: Spraying, foaming.
- Carpet: Carpet machine, spraying.

Who is using DF-500?

- Schools*Libraries*Pools*Gyms*
- Airports*Rail Stations*Sports Facilities*
- Police and Fire Department*
- Seaport Facilities*Hospitals*
- Sewer and Treatment Facilities*
- FEMA: Federal Disaster Teams
- Property Management Companies
- Taxis*Buses

- Hotels*Motels*Restaurants*
- Cruise Ships*Health Clubs*
- Mold Remediation Companies*
- Janitorial Services*Carpet Cleaners*
- Flood Damage Restoration*
- Air Conditioning Contractors
- Building and Roofing Contractors*
- Auto Detailers

Contact Information

We may have the solution to your problem

3-Fold Craftsman Construction, Inc.

Joseph S. Sanchez

Lic. -C27368

Office: (808) 941-4676

Mobile: (808) 927-5408

Email: 3fold@hawaii.rr.com

www.3foldcraftsman.com

DF-500

EPA REGISTRATION NUMBERS:

PART A: 80346-1

PART B: 80346-2